


ECOSYS P4140dn

Monochrome Printer
for A4/A3 Format



Remarkably Fit for High Volume Printing



www.kyoceradocumentsolutions.asia

ECOSYS P4140dn

- Speedy A4 print to 40 pages ppm and A3 print 22 ppm.
- Support high print volume with paper capacity up to 2,600 sheets*.
- Remarkable print quality with Fine 1200 resolution.
- Support, equipped with network print, double-sided printing, Mopria and direct printing from USB.
- Visually clear with 5 line LCD display and numeric key.
- Environmentally friendly, only toner replacement design with drum yield up to 500,000 prints.

*Main unit + Multi-Purpose Tray + Optional PF-4100 x 4



Evolution of ECOSYS

ECOLOGY - Providing energy-saving, silent design and compact design, realize top-class environment support in the industry.

ECONOMY - Providing lower CPP and longer life-time design, enhance TCO competitiveness.

SYSTEM - Provide reliable machines by assuring compatibility with the legacy machines / improvement of stable operation / adding the function of streamlining duties

KYOCERA Document Solutions strives to be a company that contributes to the society and demonstrates a "Customer First" principle by providing customers with maximum value to increase their satisfaction. By adhering to the mission of producing document management devices that take balance between "Economy" and "Ecology", KYOCERA Document Solutions succeeds to develop document management devices with advanced technologies which help customers to optimize office productivity and efficiency at a low total cost of ownership and, at the same time, improving environmental performance.

Advantages



High productivity and usability.

- Convenient Multi-Purpose Tray First Mode: Allow printing via Multi-Purpose Tray whenever paper is loaded there.
- Direct print from USB memory.
- 2-sided print as standard.
- Save cost by using less paper
Print: Allow 4-in-1 to 25-in-1
- Support Job retention with RAM disk/SD card.



High Security.

- Sophisticated network security (IPsec, HTTPS, LDAP over SSL, SNMPv3) as standard and prevent improper access.
- Private Print enables secure print jobs with preset password request at the device.
- Standard built-in Kensington Security Slot for burglar-proof of printer.



Eco-friendly advantages.

- Low energy consumption
Energy Star Ver. 3.0 certified (Taiwan only).
- Weekly timer preset the machine on and off time to maximize power savings.
- Reduce wastage with Long Life Consumables and Drums.
- Reduce noise by built-in Quiet Mode*.



Available in Taiwan only



Streamlining Daily Business Process.

By combining the innovative Business Application, this printer can manage document in an effective approach.



- KYOCERA MyPanel
Remote control designated KYOCERA printing devices by smartphone or tablet.



- KYOCERA Net Manager**
Control sensitive documents and reduce printing costs.



- KYOCERA Mobile Print
Conveniently print files, web pages and images using smartphone or tablet.



- Mopria Print Service
Simple and seamless way to connect and send documents and pictures from Android devices to a nearby printer.



- AirPrint
Print Documents, photographs, images, etc. directly from iOS devices/Mac.

*Print speed will be reduced
**Optional



Efficient and Reliable Operation

Fast A4 Print
Up to 40 ppm

Fast First Print Time
6.3 second or less

Eco-Conscious
No need to change drum
(For max. 500,000 sheets print)

PF-4110
500 sheets feeding cassettes
Up to 4 cassettes

e-KUIO x1

Network/USB

USB Host x2

Operation Panel
Clear 5 line LCD display with numeric key

Banner Print
Support up to 1,220mm (MPT only)

Caster Kit
To comply with new product safety standard (IEC62368-1*), enhanced physical stability.




Improve product appeal

Enhanced Data Security

For optional storage (HD-6/7), Functions such as overwrite deletion and data encryption (Data Security Kit (E)) which used to be offered as options can be used only by activating the function (default: OFF but free activation without license key)

Caster Kit

- Set Caster Kit to improve product appeal due to the following 2 reasons.
 - ① Caster-stand to put the machine when install it on the floor.
 - ② To comply with new product safety standard (IEC62368-1*), enhanced physical stability.



*New product safety standard IEC62368-1 is expected to be effective.
It will require more strict machine physical stability.

Main Specifications

Model		ECOSYS P4140dn
Type	Desktop	
Writing Method	Semiconductor Laser	
Print Speed (A4) (Mono)	40 ppm	
First Print Out Time	6.3 seconds	
Warm Up Time	18 seconds	
Resolution	Fine 1200, Fast 1200, 600dpi	
Duplex	Auto	
Control Panel	5 lines LCD Panel with Numeric Key	
Power Consumption (Standard configuration)	Print Mode	632W
	Stand-by Mode	15W
	Sleep Mode	4.5W
Noise (ISO7779/ ISO9296)	Print Mode	52dB(A)
	Stand-by Mode	30dB(A)
Dimension (W x D x H) (Main Unit)	469mm x 410mm x 320mm	
Weight (Main Unit)	Approx. 20.0 kg	
Controller		
CPU	Cortex-A9 1.2 GHz	
Memory	Standard 512MB (Max. 2.5GB)	
Data Security	Data Security Kit (E) (Available when HD-6/7 is installed)	
Interface	USB 2.0 High Speed x1; Ethernet 10BASE-T/100BASE-TX/1000BASE-T; USB Host x2; e-KUIOx1; Wireless LAN (optional)	
PDL	PCL6 (PCL5e, PCL-XL), KPDL3 (Postscript 3 compatible), PRESCRIBE, IBM Proprinter, Epson LQ-850, PDF Direct Print Ver. 1.7, XPS, Open XPS	
Network Printing	TCP/IP, FTP, LPR, Port9100, IPP over SSL, NetBEUI, WSD Print, Apple Bonjour, IPsec, SNMPv3	
Operating System Supported	Windows Server 2003, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Vista, Windows 7, Windows 8, Windows 8.1, Windows10; Apple Macintosh OS X 10.5 or later; Linux	
USB Memory Printing	Standard	
USB Memory Printing Format	TIFF, JPEG, PDF, XPS, Open XPS	
Mobile Printing	AirPrint, Mopria, KYOCERA Mobile Print	
Paper Handling		
Paper Capacity	Standard	500 sheets x1 (Cassette) + 100 sheets (MPT)
	Maximum	2,600 sheets (Main Unit + PF-4110 x4 + MPT)
Paper Size	Cassette	Max. A3 – Min. A6R, Custom 297 x 431.8mm – 105 x 148mm
	Option	Max. A3 – Min. A5R
	MPT	Max. 297mm x 450mm – Min. 70mm x 148mm, banner paper: up to 1,220mm
Paper Weight	Cassette	60 – 120 g/m ²
	Option	60 – 120 g/m ²
	MPT	60 – 220 g/m ²
Duplex Printing	Paper size: A3 – A5R; Paper weight: 60 – 120 g/m ²	
Output Capacity	Std. 500 sheets face-down; Opt. 250 sheets face-up	
Consumables & Options		
Toner Kit (Page Yield in accordance with ISO/IEC 19752)	TK-7315 (15,000 pages)	
Capacity of Start up Toner	7,500 pages	
Maintenance Kit	MK-7315 (500,000 pages)	
Paper Feeder	PF-4110: 500 sheets (Max. x4)	
Face Up Tray	PT-4100: 250 sheets Face Up Tray	
Card Authentication	Card Authentication Kit(B)	
Gigabit Ethernet Board	IB-50	
Wireless LAN Interface	IB-36/IB-51: 802.11 b/g/n/Wireless LAN/WiFi Direct	
Parallel Interface Kit	IB-32B: IEEE 1284 Interface	
Storage Device	HD-6: SSD 32GB; HD-7: SSD 128GB	
Caster Kit	CA-3100	

KYOCERA Document Solutions Asia Limited.

13/F, Mita Centre, 552-566 Castle Peak Road, Tsuen Wan, N.T., Hong Kong
Tel : +852-2496-5678 Fax: +852-2610-2063

www.kyoceradocumentsolutions.asia



Kyocera Document Solutions does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.